



10053915

AVITAL®



Manufactured for
HORNBACH Baumarkt AG
Hornbachstrasse 11
76879 Bornheim/Germany
www.hornbach.com
version number {20220810_V2}



Ø6.5x30mm

A1




Ø4x30mm

A2



B



C



D



E



F



G




H


J1

J

J2





I




K1

K2



K3










PH









Ø6 mm














	D Empfohlen I Consigliato S Rekommenderat SK Odporúčané	F Recommandé NL Aanbevolen CZ Doporučeno RO Recomandat	D Höchstens I Massimo S Maximal SK Maximum	F Maximum NL Maximum CZ Maximum RO Maxim
D Betriebsdruck F Pression de fonctionnement I Pressione di esercizio NL Bedrijfsdruk S Driftstryck CZ Provozní tlak SK Prevádzkový tlak RO Presiunea de funcționare	0.5-5 bar		10 bar	
D Wassertemperatur F Température de l'eau I Temperatura dell'acqua NL Watertemperatuur S Vattentemperatur CZ Teplota vody SK Teplota vody RO Temperatura apei	55-65°C		90°C	
D Wasseranschluss F Raccordement d'eau I Allaccio acqua NL Watertoevoer S Vattenanslutning CZ Vodní přípojka SK Vodná prípojka RO Racord de apă	D warm = links / kalt = rechts F chaude = à gauche/froid = à droite I calda = sinistra / fredda = destra NL warm = naar links / koud = naar rechts S varmt = = vänster / kallt = höger CZ teplá = vlevo/studená = vpravo SK teplá = vľavo / studená = vpravo RO cald = stânga / rece = dreapta			