

ARDON 4SAFETY

FIȘĂ TEHNICĂ

Mănuși de protecție PETRAX (cod produs : A8007)



materiale	suport tricotat din NYLON,culoare diferita pentru fiecare marime
materiale imersare	spuma de latex
suprafata imersata	jumatate
E.I.P.	Categoria II
ambalaj:	12 perechi/pungă plastic
cutie carton	240 perechi
greutate cutie	14 kg;greutate manusa -15g
mărimi	07-S;08-M;09-L;10-XL;11-XL; toate marimile sunt blisterate

Standarde EU

- EN 388:2016 Mănuși de protecție împotriva riscurilor mecanice
- EN 420:2003+A1:2009 Mănuși de protecție. Cerințe generale.

Domeniu de utilizare Mănușile sunt recomandate pentru lucrul in mediu uscat.Sunt flexibile , confortabile si simultan rezistente.Pot fi utilizate si daca in mediu de lucru sunt acizi si cetone.

Nivele de performanță (conf. raportului de testare Nr. 0075/1120/162/05/17/0687 emis de organismul notificat cu nr.0075(CTC FRANTA)(26.05.2017)

Rezistență la abraziune	2
Rezistență la tăiere	1
Rezistență la rupere	2
Rezistență la perforare	1
Rezistentă la taiere TDM	x

ARDON 4SAFETY

Instrucțiuni de utilizare și depozitare :

- Se utilizează numai pe mâinile curate.
- Se examinează înainte de utilizare.
- Se curăță prin ștergere și periere
- Depozitarea se realizează într-un loc uscat, ferit de lumină, la temperaturi de 0-30 °C

- Nu expuneți mănușile la căldură radiantă, solvenți organici și vapori, grăsimi, grăsimi, uleiuri minerale, caustice și apă.
- Mănușile nu trebuie utilizate în cazul în care există riscul de a fi prinse în mișcarea pieselor mașinii.

S.C. ARDON 4 SAFETY S.R.L.

Tg. Mureș , B-dul 22 Decembrie 1989, nr. 150, Corp C30, Et. 1, Biroul 2, Jud. Mureș,

Tel. / fax 0265 – 210.645

CERTIFICAT DE CALITATE ȘI GARANȚIE

În conformitate cu prevederile legale privind răspunderea pentru calitatea produselor livrate se atestă că produsul :

Mănuși de protecție împotriva riscurilor mecanice, model Petrax (cod produs A8007),

îndeplinește parametrii de calitate conform **Certificatului de examinare EC de tip Nr. 0075/1120/162/05/17/0687 emis de organismul notificat cu nr.0075(CTC FRANTA) la data 26.05.2017.**

Prin prezenta confirmăm perioada de garanție de 24 luni în depozitare, de la data recepției efectuată la sucursalele beneficiare ale achizitorului, în condițiile respectării instrucțiunilor de utilizare, transport și depozitare.

Garanția acordată de furnizor se referă numai la deficiențe ale produselor determinate de defecte de fabricație sau vicii ascunse, descoperite în condițiile unei întrețineri corespunzătoare a produselor. Deteriorări ale produselor precum zgârieturi, fisuri, spărturi, rupturi, deformări, nu sunt acoperite de garanție, fiind considerate efecte ale unei întrețineri necorespunzătoare.

Prezentul certificat, atestă legal că produsul corespunde scopului pentru care a fost realizat și se încadrează în parametrii de calitate prevăzuți.

La livrare produsul va fi însoțit de următoarele documente:

- Certificat de Calitate și Garanție ;
- Declarație de Conformitate EC;
- Fișă tehnică produs.

ADMINISTRATOR
ALIN CUEȘDEANU



S.C. ARDON 4 SAFETY S.R.L.

Tg. Mureș , B-dul 22 Decembrie 1989, nr. 150, Corp C30, Et. 1, Biroul 2, Jud. Mureș,

Tel. / fax 0265 – 210.645

DECLARAȚIE DE CONFORMITATE

Producătorul **ARDON SAFETY s.r.o.** stabilit în **Tržní ulice 1, 750 02 Přerov I – Město, Czech Republic**, prin reprezentantul său autorizat **S.C. ARDON 4 SAFETY S.R.L.** stabilit în **Tg. Mureș , B-dul 22 Decembrie 1989, nr. 150, Corp C30, Et. 1, Biroul 2, Jud. Mureș, tel. / fax 0265 – 210.645**, prin reprezentanții săi autorizați declarăm pe proprie răspundere că echipamentul individual de protecție nou descris mai jos :

Mănuși de protecție împotriva riscurilor mecanice

Model: Petrax

(cod produs A8007)

la care face referire această declarație este în conformitate cu următorul standard :

- EN 388:2016 Mănuși de protecție împotriva riscurilor mecanice
- EN 420:2003+A1:2009 Mănuși de protecție. Cerințe generale.
-

și este identic cu EIP care este obiectul certificatului de conformitate prin examen "EC" de tip nr. 0075/1120/162/05/17/0687 emis de organismul notificat cu nr.0075(CTC FRANTA) la data 26.05.2017.

Produsul a fost proiectat și executat în conformitate cu cerințele esențiale de securitate și sănătate corespunzătoare domeniului de utilizare menționat și este în conformitate cu prevederile Regulamentului Guvernului nr. 21/2003 Coll., care transpune Directiva Consiliului 89/686 / CEE privind apropierea legislațiilor statelor membre referitoare la echipamentele individuale de protecție, modificată prin Directivele 93/68 / CEE, 93/95 / CEE și Directiva Al Parlamentului European și al Consiliului 95/58 / CE.

**ADMINISTRATOR
ALIN CUEȘDEANU**



A handwritten signature in blue ink, appearing to be 'Alin Cuesdeanu', written over a white background.



ARDON SAFETY s.r.o.
Tržní 2902/14, 750 02 Přerov Czech Republic
Tel: 581 250 061, 581 250 076
Fax: 581 203 626

ES PROHLÁŠENÍ O SHODĚ

Výrobce nebo jeho zplnomocněný zástupce:

ARDON SAFETY s.r.o.
Tržní 2902/14
750 02 Přerov I - Město
IČ: 258 52 141

prohlašuje, že níže popsaný osobní ochranný prostředek:

PETRAX - pracovní rukavice - II. kategorie
(nylonový bezešvý úplet máčený v latexové pěně)

je ve shodě s ustanoveními nařízení vlády č. 21/2003 Sb., přejímajícím směrnici Rady 89/686/EHS o sbližování právních předpisů členských států týkajících se osobních ochranných prostředků, ve znění směrnic 93/68/EHS, 93/95/EHS a Směrnice Evropského parlamentu a Rady 95/58/ES

je identický s osobním ochranným prostředkem, který je předmětem certifikátu ES přezkoušení typu č. 0075/1120/162/05/17/0687 vydané notifikovanou osobou č. 0075 (CTC France) dne 26. 5. 2017.

Zkoušky vzorku předmětného výrobku prokázaly shodu jeho vlastností s požadavky následující harmonizované normy:
EN 420:2003+A1:2009 : Ochranné rukavice - Všeobecné požadavky a metody zkoušení.

EN 388:2016 : Ochranné rukavice proti mechanickým rizikům. (2-1-2-1-X)

V Přerově dne 30. 5. 2018

Mgr. Tomáš Voženílek
Jednatel společnosti



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,
registered under the number 0075, published in OJEC, delivers :

EC-TYPE EXAMINATION CERTIFICATE 0075/1120/162/05/17/0687

To the following model of personal protective equipment :

- * reference of the model : PETRAX
- * protective glove against mechanical risks.
- * Manufacturer :

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on May 26th, 2017

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : PETRAX

Basic Model

Dated : MAY, 2017

15G green polyester glove coated with black latex foam

Available sizes :

7/S 8/M 9/L 10/XL 11/XXL

Visual description :



Material :

	Color	Material	Gauges	Thickness
Palm	Black	Latex		1.43 - 1.50 mm (complex with the shell)
	Green	polyester	15gauges /inch	
Back	Green	polyester	15gauges /inch	
Lining				
Cuff	Green	polyester/elastic	15gauges /inch	
Binding	Black	polyester		



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)
- * This product is a category II.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC	Other
EN 420	S150503972_1, S160100436_1	
Azo	S150503972_1, S160100436_1	
EN 388	S160100436_1	
OTHER	S160100436_1(Tin, Cad) S170100233_1(DMFu) S170505944_1(PAHs)	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	1	2	1

The levels of performance have been measured on the palm



3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: PETRAX
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



MANUFACTURER'S TECHNICAL FILE

Reference of the product : PETRAX

Technical file index : 01

Last update : MAY, 2017

IDENTIFICATION

Reference of the product :	:	PETRAX
Basic model	:	
Technical file index :	:	01
Last update :	:	MAY, 2017

GLOVE DESCRIPTION

Glove description :

15G green polyester glove coated with black latex foam

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
230	7/S
240	8/M
250	9/L
260	10/XL
270	11/XXL

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		Black	Latex	380g/m ²		1.43 - 1.50 mm (complex with the shell)
		Green	polyester	220g/m ²	15gauges /inch	
Back		Green	polyester	220g/m ²	15gauges /inch	
Lining						
Cuff		Green	polyester/elastic	310g/m ²	15gauges /inch	
Binding		Black	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	2
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1

The levels of performance have been measured on the palm

TEST REPORTS

Laboratory	CTC	Other
EN 420	S150503972_1, S160100436_1	
Azo	S150503972_1, S160100436_1	
EN 388	S160100436_1	
OTHER	S160100436_1(Tin, Cad) S170100233_1(DMFu) S170505944_1(PAHs)	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 

Glove's reference : PETRAX

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

printed on the back

Packaging :

1 doz/pe bag, 10 doz/carton

INSTRUCTION FOR USE

Glove reference : PETRAX

Available sizes : 7/S 8/M 9/L 10/XL 11/XXL

Glove description :

15G green polyester glove coated with black latex foam

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :
Mechanical hazard - EN 388



2121

Levels of performance

Abrasion resistance	2	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	2	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)

Protection limit :

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.